

**MINUTES OF 38th MEETING OF SEAC, KERALA HELD ON 28th, 29th & 30th April
2015, AT MELODY HALL, MASCOT HOTEL, THIRUVANANTHAPURAM**

DAY - I (28.04.2015)

The 38th meeting of the SEAC commenced at 9.30 AM with Sri. V Gopinathan, IFS (Rtd) in the chair. The Chairman welcomed the members of the Committee and initiated the proceedings. The Committee took up Environmental Clearance applications included in the agenda for appraisal and decision taken as given below.

Item No. 38.00 General Discussions

At the outset few general issues were discussed and the following decisions were taken.

- i. In order to expedite the finalisation of minutes of the SEAC meetings, once the draft minutes and appraisal are circulated by email all members will convey their approval /remarks within a day or two. Thereafter the minutes and appraisals will be finalised and signed by the Secretary and the Chairman and submitted to the SEIAA. The minutes will be simultaneously uploaded in the website. The minutes and the appraisals will be placed in the next meeting of the SEAC for its approval.
- ii. MoEF has reduced the area under ESA in Kerala from 13108sq km to 9993.7sq km in their draft notification. Out of this 886.7sq km are outside the forests. The location of these bits is important for appraising EC applications. Dr. Oommen V Oommen, Chairman, Biodiversity Board informed that all the above area are located inside ESA villages and none of them is under private ownership. The Committee decided to take this fact into consideration while appraising the EC applications.

Item No. 38.01 Formal approval of minutes of 37th SEAC meeting held on 9th and 10th April, 2015.

The Minutes and the Appraisals of the meeting held on 9th and 10th April, 2015 were then formally approved by the Committee.

Item No. 38.02 Consideration of cases involving compliance of court orders.

A. Judgment in WP(c) no. 10177/2015 filed by Sri. Tinson John, Managing Partner, M/s Aiswarya Granites. (File. No 127/SEIAA/KL/2368/2013, 128/SEIAA/KL/2369/2013, 129/SEIAA/KL/2370/2013)

In order to comply with the orders of the Hon High Court to appraise the application under category B2, it is mandatory that the proponent shall submit a Pre-feasibility report and an approved Mining Plan. This is enunciated in the O.M. of MoEF dtd 24-12-2013, MMDR rules amended in 2015, judgment of Honourable High Court in WP(c) no. 31148/2014 dated 23-03-2015 and decision of the SEIAA taken in its 35th

meeting held on 09-04-2015. In the instant case, the proponent has not submitted the approved Mining Plan. Hence the committee decided to call for the approved Mining Plan from the proponent.

The Committee also noted that there is no uniformity in the approval accorded to the Mining Plan by various authorities. Therefore, the committee decided to insist for a written order or a letter granting approval to Mining Plan and also proper authentication of the Mining Plan by the competent authority by affixing signature and seal in first and last page. It was also decided to request Secretary to move the Hon High Court for extension of time in consultation with the member secretary, SEIAA.

B. Judgment in WP(c) No. 29005/2014, filed by Sri. Sadhanandan, M/s J & S Granites Company (File No. 200/SEIAA/KL/86/2014)

The Committee took a decision to inform the proponent that a letter/order approving the Mining Plan should be produced from the authority who has approved the Mining Plan by affixing signature and seal in the first and last pages. Further the Committee decided to have a presentation to get clarifications on the points raised by the subcommittee in its field visit report. Committee suggested Director, DoECC to file an extension petition seeking 2 more months to comply with the direction of Honourable High Court.

Item No.38.03 Environmental Clearance for removal of red earth in Sy. No. 67/2 at Amballoor Village, Alagappanagar Panchayath, Mukundapuram Taluk, Thrissur District, Kerala by Mr. M.A. Chandran.
(File No. 265/SEIAA/KL/1214/2014)

The Committee noted that as per para 8(v) of the MoEF notification dtd 14-9-06 Environmental Clearance does not require clearances from other regulatory bodies .In this case there is report from the sub-committee detailing the factual ground conditions. Hence the Committee appraised the application from the environmental point of view, considering the field visit report submitted by the subcommittee. The Committee decided to **RECOMMEND** the application for issuance of Environmental Clearance for mining of clay up to a depth of 1.5 m from the surface subjected to following conditions that

- a. Refill the land with ordinary earth
- b. Area must be used for cultivation and not left as fallow land.
- c. The Proponent should obtain necessary clearances under *Kerala Conservation of Paddy Land and Wetland Act, 2008*, whichever is required.

(The appraisal report is attached as annexure 1)

Item No.38.04 **Environmental Clearance for removal of red earth in Sy. No. 556/11 at Thamarakkulam Village, Mavelikkara Taluk, Alappuzha District, Kerala by Mr. Sureshkumar**
(File No. 266/SEIAA/KL/1215/2014)

The Committee appraised the proposal and decided to **RECOMMEND** the application for issuance of Environmental Clearance, limiting the depth to 3m and preserving the 1m thick top soil for refilling after the excavation from the present field level. **(The appraisal report is attached as annexure 2)**

Item No.38.05 **Environmental Clearance for removal of ordinary earth in Sy. Nos. 502/7-2 and 502/7-1 at Manjalloor Village ad Panchayath, Muvattupuzha Taluk, Ernakulam District, Kerala by Mr. V.P. Ravi, Mr. K.J. George and Mr. K.V. Thomas**
(File No. 336/SEIAA/KL/2168/2014)

The Committee appraised the proposal and decided to do away with site inspection and found that clarification from proponent is essential for evaluation. Hence the Committee decided to **DEFERRED** the item and communicate with the proponent to get necessary clarifications sought by the previous committee.

Item No.38.06 **Environmental Clearance for removal of ordinary earth in Sy.no. 702 at Pullazhi Village Thrissur Panchayath, Thrissur Taluk, Thrissur District, Kerala by Sri. Sanil A S.**
(File No.360/SEIAA/KL/2519/2014)

The proponent has requested for removal of 2600m³ of earth, which is relatively smaller quantity, considering the extent of area. The Committee appraised the proposal and decided to do away with site visit and to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2600m³ of ordinary earth. **(The appraisal report is attached as annexure 3)**

Item No.38.07 **Environmental Clearance for removal of ordinary earth in Sy.no. 110/5,114/1, 115/2at Alur Village Kandanassery Panchayath, Thalapilly Taluk, Thrissur District, Kerala by Sri. Joby & Joshy**
(File No.400 /SEIAA/KL/2828/2014)

The Committee appraised the application and found that the area is relatively small. The removed earth is proposed to be used for construction of bunds by KLDC. The Committee decided to do away with site visit and to **RECOMMEND** the application for issuance of Environmental Clearance to remove 4000m³ of ordinary earth uniformly by forming terrace. **(The appraisal report is attached as annexure 4)**

Item No.38.08 **EC application for removal of ordinary earth from Sy. Nos. 2572/A, 2572/A1, 2571/1 at Vanchiyoor Village, Thiruvananthapuram Corporation, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala by Mr. John Jacob**
(File No. 401/SEIAA/KL/2829/2014)

The Committee appraised the application that field visit is necessary since the application is for removal of earth for construction of a multi-storeyed building with basement depth of 6m. The sub-committee including Shri. John Matai and Shri. Ajayakumar was requested to conduct a field visit to assess the ground reality and submit the report. Hence the Committee **DEFERRED** the item for field visit.

Item No.38.09 **Environmental Clearance for removal of ordinary earth in Sy.no. 134 at Alur Village Kandanassery Panchayath, Thalapilly Taluk, Thrissur District, Kerala by Sri. Saraswathy Viswambaran**
(File No.402 /SEIAA/KL/2830/2014)

Considering the extent of land and the quantity of earth to be removed committee decided to appraise the application without site visit and decided to **RECOMMEND** the application for issuance of Environmental Clearance uniformly by forming terrace. **(The appraisal report is attached as annexure 5)**

Item No.38.10 **EC application for removal of ordinary earth from Sy. Nos. 236/7, 236/8, 236/6, 236/9 at Thekkada Village, Vembayam Panchayath, Nedumangad Taluk, Thiruvananthapuram District, Kerala by Mr. S. Abdul Khareem** (File No. 414/SEIAA/KL/2922/2014)

After examining the application the Committee decided to appraise the application without site visit. The application is for removal of earth from an area measuring 50m x 50m up to a depth of 3m for the establishment of a crusher unit which is proposed to be established in the middle of the plot having an area of 3 acre. The Committee decided to **RECOMMEND** the application for issuance of Environmental Clearance under the condition that the removal of ordinary earth shall be limited to the quantity up to a depth of 2m. **(The appraisal report is attached as annexure 6)**

Item No.38.11 **Environmental Clearance for removal of ordinary earth in Sy.no. 55/3 at Mangad Village Porkulam Panchayath, Thalapilly Taluk, Thrissur District, Kerala by Sri. Jithu George**
(File No.415 /SEIAA/KL/2948/2014)

The Committee decided to appraise the proposal without site visit. The Committee decided to **DEFERR** the item for submission of consent from the land owners of adjacent properties with in 15 days.

Item No.38.12 **EC application for removal of brick earth from Sy. Nos. 165/3 at Vellarada Village & Panchayath, Neyyattinkara Taluk, Thiruvananthapuram District, Kerala by Mr. C. Sugathan.**
(File No 426/SEIAA/KL/2985/2014)

The Committee decided to appraise the application without field inspection on the following grounds.

1. The application is from Panchayat Secretary.
2. The application is for the rejuvenation/restoration of pond.

The Committee decided to **RECOMMEND** the application for issuance of Environmental Clearance subject to the condition mentioned in the appraisal report. **(The appraisal report is attached as annexure 7)**

Item No.38.13 **Environmental Clearance for removal of ordinary earth in Sy.no. 12/1 at Velookkara Village and Panchayath, Mukundapuram Taluk, Thrissur District, Kerala by Sri. Pradeep T V**
(File No.433 /SEIAA/KL/2993/2014)

The Committee after appraising the application decided that the presence of applicant is need not be insisted, but the consent from the neighbours are essential. Hence Committee **DEFERRED** the item for submission of consent from the land owners of adjacent properties within 15 days.

Item No.38.14 **EC application for removal of ordinary earth from Sy. No. 2 at Thycaud Village, Thiruvananthapuram Corporation, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala by Sri. Ravindra Nath K.**
(File No. 460/SEIAA/KL/3191/2014)

The committee considered the application and assess that the application is for removal of Ordinary earth for building construction. The Committee decided to request the proponent to produce the building plan as suggested by the former committee. Hence the item is **DEFERRED**.

Item No.38.15 **Environmental Clearance for removal of ordinary earth in Sy.no. 471, 483 at Karikkad Village Kadavallur Panchayath, Thalapilly Taluk, Thrissur District, Kerala by Sri. Jithu George**
(File No.502 /SEIAA/KL/3605/2014)

The Committee decided to appraise the proposal without site visit. The consent from the land owners of adjoining land are not provided. The Committee **DEFERRED** the item for submission of consent from the land owners of adjacent properties within 15 days.

Item No.38.16 **Environmental Clearance for removal of ordinary earth in Sy. No. 433/6-2, 433/6-4 at Vazhakulam Village and Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala by Fr. Anuraj Tony. (File No. 529/SEIAA/KL/3833/2014)**

The Committee decided to appraise the proposal without site visit. The consent from the land owners of adjoining land are not provided. The Committee **DEFERRED** the item for submission of consent from the land owners of adjacent properties within 15 days.

Item No.38.17 **Environmental Clearance for removal of ordinary earth in Sy. No. 406/2 pt at Vazhakulam Village and Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala by Dr. Valsa Thomas (File No. 530/SEIAA/KL/3834/2014)**

The committee scrutinized the application and it is revealed that the earth has been removed from a major portion of land therefore the committee felt that a field visit is necessary to assess the field reality. A sub-committee consisting of Dr. Jayson and Dr. Padmakumar may conduct the field visit and submit the report. The Committee **DEFERRED** the item for field visit.

Item No.38.18 **Environmental Clearance for removal of ordinary earth in Sy. Nos. 3/1/17-2,3/1/18-1,3/1/18-2,3/1/19-1,3/1/19-2 at Puthur Village, Mailam Panchayat, Kottarakkara Taluk and Kollam District, Kerala by Smt. Praveena I.R. and Prajitha I.R. (File No 532/SEIAA/KL/3854/2014)**

The Committee decided to appraise the proposal without field inspection based on the details provided by the applicant. The Committee decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 10,000m³ ordinary earth (**The appraisal report is attached as annexure 8**)

Item No.38.19 **Environmental Clearance for removal of ordinary earth in Re. Sy. No.424/8, 424/11 Block 3 at Vilavoorkkal Village, Vilavoorkkal Panchayath Kattakkada Taluk, Thiruvananthapuram District, Kerala by Sri. G. Sukumaran (File No. 548/SEIAA/KL/3961/2014)**

The Committee decided to appraise the proposal without field inspection report based on the details provided by the applicant. After deliberation, decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1200m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 2m. (**The appraisal report is attached as annexure 9**)

Item No.38.20 **Environmental Clearance for removal of ordinary earth in Sy. No. 26/1A 32 at Enanalloor Village, Ayavana Panchayath, Muvattupuzha Taluk, Ernakulam District, Kerala by Sri. P.S. Moosa. (File No. 549/SEIAA/KL/4030/2014)**

The Committee decided to appraise the proposal without field inspection report based on the details provided by the applicant. The request is for Environmental Clearance for removal of earth from 62.5 cents. The Committee decided that the consent of the owners of the adjacent property is desired and the item is **DEFERRED** for submission of consent from the land owners of adjacent properties. Decision based on submitted photograph.

Item No.38.21 **Environmental Clearance for removal of ordinary earth in Sy. No. 408/5 at Arakkappady Village, Vengola Panchayath, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. P.A. Paul. (File No. 567/SEIAA/KL/4171/2014)**

The Committee decided to appraise the proposal without field inspection based on the details provided by the applicant. After deliberation, decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 3000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 10)**

While appraising the application for ordinary earth, Committee observed that removal of earth substantially changes the water regime of adjacent properties. Citing this, a few proponents have sought EC for removal of ordinary earth from their properties as well. Therefore, the Committee decided that only when consents of land owners of adjacent properties are produced, EC need to be given for 2m depth. In other cases where clearances are accorded, the Committee decided to insist on removing of earth by terracing, limiting the depth appropriately. Since large number of applications are pending for consideration of EC, in order to speed up the process of issuance of EC the Committee decided not to entering to protracted correspondence with the proponent and to recommend EC , EC incorporating the above restriction. It was also decided to incorporate the production of consent letter from the owners of adjacent properties for removal of earth as a required document in the simplified application form.

Item No.38.22 **Environmental Clearance for removal of ordinary earth in Sy. No. 162/3-5, 162/3-2, 1628-2, 162/3-6 at Arackappadi Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Mr. Siji Varghese (File No. 579/SEIAA/KL/4335/2014)**

The Committee decided to appraise the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 5000m³ of ordinary earth subject to the condition that removal will be by forming terrace limiting to average depth of 1m. **(The appraisal report is attached as annexure 11)**

Item No.38.23 **Environmental Clearance for removal of ordinary earth in Sy.no. 209 at Pananjerry Village and Panchayath, Thrissur Taluk, Thrissur District, Kerala by Sri. Cheriyan V V**
(File No.643 /SEIAA/KL/4939/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance for removal of 2000m³ of ordinary earth subject to the condition that removal will be by forming terrace limiting to average depth of 1m. **(The appraisal report is attached as annexure 12)**

Item No.38.24 **Environmental Clearance for removal of ordinary earth in Sy.no. 355/2, 357/3 at Pananjerry Village and Panchayath, Thrissur Taluk, Thrissur District, Kerala by Smt. Aleyamma Varughese**
(File No.644 /SEIAA/KL/4940/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance for removal of 5000m³ of ordinary earth subject to the condition that removal will be by forming terrace limiting to average depth of 1m. **(The appraisal report is attached as annexure 13)**

Item No.38.25 **Environmental Clearance for removal of ordinary earth in Sy.no. 355/3 at Panancheri Village and Panchayath, Thrissur Taluk, District, Kerala by Smt/Sri Ruby Wilson**
(File No. 645/SEIAA/KL/4941/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance for uniform removal of 1000m³ of ordinary earth subject to the condition that removal should be limited to a maximum depth of 1m. **(The appraisal report is attached as annexure 14)**

Item No.38.26 **Environmental Clearance for removal of ordinary earth in Sy.nos. 1216/2, 1216/3 at Thekkumkara Village and Thekkumkara Panchayath, Talappilly Taluk, Thrissur District, Kerala by Sri. T.V. Murali.** (File No. 648/SEIAA/KL/5163/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance for uniform removal of 1000m³ of ordinary earth . **(The appraisal report is attached as annexure 15)**

Day II (29-04-2015)

Item No.38.27 **Environmental Clearance for removal of ordinary earth in Sy. No. 393/4 at Chakkuvarakkal Village, Kottarakkara Taluk, Kollam District, Kerala by sri. Vijayan Pillai**
(File No. 649/SEIAA/KL/5164/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance for uniform removal of 1200m³ of ordinary earth. **(The appraisal report is attached as annexure 16)**

Item No.38.28 **Environmental Clearance for removal of ordinary earth in Sy.nos. 712, 713, 714, 716/2 at Padinjare Chalakudy Village and Chalakudy Panchayath, Chalakudy Taluk, Thrissur District, Kerala by Sri. E.T. Devassy.**
(File No. 650/SEIAA/KL/5165/2014)

The Committee appraised the proposal based on the details provided by the applicant and found that the applicant is proposed to remove brick earth from a fairly large area being as **Nilam**. Hence the committee **DEFERRED** the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act, 2008*, or recommendation from the Local Level Monitoring Committee.

Item No.38.29 **Environmental Clearance for removal of ordinary earth in Sy. No. 311/3-2,311/3-3 at Mazhuvannoor Village, Kunnathunathu Taluk, Ernakulam District, Kerala by Sri. Hydrose S/O Kochu pillai and Smt. Aasya Hydrose.** (File No. 651/SEIAA/KL/5166/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2500m³ of ordinary earth subject to the condition that removal will be by forming terraces limiting to average depth of 1m. **(The appraisal report is attached as annexure 17)**

Item No.38.30 **Environmental Clearance for removal of ordinary earth in Sy.no. 444/3 at Vallikunnam Village and Panchayath, Mavelikkara Taluk, Alappuzha District, Kerala by Smt/Sri S. Padmaja**
(File No. 652/SEIAA/KL/5167/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2500m³ of ordinary earth subject to the condition that removal should be by forming terraces. **(The appraisal report is attached as annexure 18)**

Item No.38.31 **Environmental Clearance for removal of ordinary earth in Re Sy.no. 162/1/B9 at Mulakkulam Village and Panchayath, Vaikom Taluk, Kottayam District, Kerala by Sri. Giby Jacob**
(File No. 653/SEIAA/EC4/5168/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 445m³ of ordinary earth. **(The appraisal report is attached as annexure 19)**

Item No.38.32 **Environmental Clearance for removal of ordinary earth in Re. Sy. No. 550/9-2 at Kizhakkambalam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Biju S/O Joseph**
(File No. 654/SEIAA/KL/5169/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 600m³ of ordinary earth. **(The appraisal report is attached as annexure 20)**

Item No.38.33 **Environmental Clearance for removal of ordinary earth in Sy. No. 73/3, 75/1 and 75/2 at Nellaya Village, Ottapalam, Palakkad, Kerala by Sri. Ismayil**
(File No. 655/SEIAA/KL/5170/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 350m³ of ordinary earth subject to the condition that removal should be by forming terraces. **(The appraisal report is attached as annexure 21)**

Item No.38.34 **Environmental Clearance for removal of ordinary earth in Sy. No. 73/3, 75/1 and 75/2 at Nellaya Village, Ottapalam, Palakkad, Kerala by Sri. Cholakkathodi Muhammed Musthafa.**
(File No. 656/SEIAA/KL/5171/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 350m³ of ordinary earth subject to the condition that removal should be by forming terraces. **(The appraisal report is attached as annexure 22)**

Item No.38.35 **Environmental Clearance for removal of brick earth in Sy.no. 527/1,2,3, 528 at Annallor Village Mala Panchayath, Chalakudy Taluk, Thrissur District, Kerala by Sri. K C Thomas**
(File No.658 /SEIAA/KL/5173/2014)

The Committee appraised the proposal based on the details provided by the applicant and found that the proposed area comes under the category Nilam, Hence the committee **DEFERRED** the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act, 2008* or recommendation from the Local Level Monitoring Committee.

Item No.38.36 **Environmental Clearance for removal of ordinary earth in Sy.no. 530/2,555/2, 556/1-2 at Annallor Village Mala Panchayath, Chalakudy Taluk, Thrissur District, Kerala by Sri. Roy Sebastian**
(File No.659 /SEIAA/KL/5174/2014)

The Committee appraised the proposal based on the details provided by the applicant and found that the proposed area comes under the category Nilam, Hence the committee **DEFERRED** the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act, 2008* or recommendation from the Local Level Monitoring Committee.

Item No.38.37 **Environmental Clearance for Laterite mining in Re Sy.nos.249, 250 at Kothanellor Village, Manjoor Panchayath, Vaikom Taluk, Kottayam District, Kerala by Sri. K.M. Mathew**
(File No.667/SEIAA/EC4/5135/2014)

The Committee decided to appraise the proposal and **DEFERRED** the item for submission of Pre-feasibility Report, an approved Mining Plan and application in Form 1.

Item No.38.38 **Environmental Clearance for removal of ordinary earth in Sy. No. 284/8 at Kunnathunadu Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Smt. Suhra Marakkar**
(File No. 668/SEIAA/KL/5186/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2500m³ of ordinary earth subject to the condition that removal should be by forming terraces. **(The appraisal report is attached as annexure 23)**

Item No.38.39 **Environmental Clearance for removal of ordinary earth in Sy.no. 364/11/3,4,5,8,10,15 at Mulayam Village Nadathara Panchayath, Thrissur Taluk, Thrissur District, Kerala by Smt/Sri Ravi K. K.**
(File No. 669/SEIAA/KL/5187/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of ordinary earth subject to the condition that other statutory Clearance should be obtained from concerned departments. The quantity of ordinary earth removed should be limited to 10,000m³ subject to the condition that removal should be by forming terraces and the average depth of removal shall be limited to 1m. **(The appraisal report is attached as annexure 24)**

Item No.38.40 **Environmental Clearance for removal of ordinary earth in Sy.nos. 364/6/29,30; 364/8/6,21,22; 364/9/6,7,12, at Mulayam Village Nadathara Panchayath, Thrissur Taluk, Thrissur District, Kerala by Smt/Sri Sethu K.S.**
(File No. 670/SEIAA/KL/5188/2014)

Considering the application the committee observed EC for the removal of 2000m³ of ordinary earth has already been issued and now applicant has proposed to remove 10000m³ again from the same property. Since clearance has already been issued once from the same area the Committee decided to recommend to **REJECT** the application. **(The appraisal report is attached as annexure 25)**

Item No.38.41 **Environmental Clearance for removal of ordinary earth in Sy.no. 134/16 at Kanakkary Village and Panchayath, Meenachil Taluk, Kottayam District, Kerala by Smt. P.K. Geetha**
(File No. 672/SEIAA/EC4/53512014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 400m³ of ordinary earth. **(The appraisal report is attached as annexure 26)**

Item No.38.42 **Environmental Clearance for removal of ordinary earth in Sy. No. 742 Re Sy. No. 166/2 (Block-36) at Aluva East Village, Aluva Taluk, Ernakulam District, Kerala by Smt. Eley Abraham**
(File No. 674(A)/SEIAA/KL/5354/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 8000m³ of ordinary earth subject to the condition that removal should be by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 27)**

Item No.38.43 **Environmental Clearance for removal of ordinary earth in Sy. No. 491/1-1, 491/1-7 at Velloorkkunnam Village, Muvattupuzha Taluk, Ernakulam District, Kerala by Sri. . Babu Elias and Smt. Mary Babu.** (File No. 674/SEIAA/KL/5353/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 4500m³ of ordinary earth subject to the condition that removal should be by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 28)**

Item No.38.44 **Environmental Clearance for removal of ordinary earth in Sy. No. 406/2 at Vazhakkulam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Smt. Dr. Valsa Thomas (File No. 677/SEIAA/KL/5357/2014)**

The project proponent has submitted another application for EC for the removal of ordinary earth from the same area which was appraised by the Committee as item number 37.17 and was deferred for site inspection to assess the ground realities. The Committee decided to *deferred* the item for field inspection. The sub-committee may inspect the field as a whole and submit the report for further assessment.

Item No.38.45 **Environmental Clearance for removal of ordinary earth in Sy. No. 23/1B and 23/1A1 at Karimba Village, Mannarkadu, Palakkad, Kerala by Smt. Nirmala Abraham (File No. 679/SEIAA/KL/5359/2014).**

The Committee appraised the proposal based on the details provided by the applicant and decided to *recommend* the application for issuance of Environmental Clearance for removal of 600m³ of ordinary earth subject to the condition that removal should be uniform. **(The appraisal report is attached as annexure 29)**

Item No.38.46 **Environmental Clearance for removal of ordinary earth in Sy.no. 101/9-1 at Peroor Village and Ettumannor Panchayath, Kottayam Taluk, Kottayam District, Kerala by Sri. Joseph, N.L (File No.680/SEIAA/EC4/5360/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to *recommend* the application for issuance of Environmental Clearance for removal of 2000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 30)**

Item No.38.47 **Environmental Clearance for removal of ordinary earth in Sy. No. BL-5/179/8 at Vazhayoor Village, Kondotty, Malappuram, Kerala by Sri. M.P. Gangadharan (File No. 682/SEIAA/KL/5386/2014)**

The Committee appraised the proposal based on the details provided by the applicant and found that the applicant is proposed to remove brick earth from a fairly large area being as **Nilam**. Hence the committee *deferred* the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act , 2008*, or recommendation from the Local Level Monitoring Committee.

Item No.38.48 **Environmental Clearance for removal of ordinary earth in Sy.no. 900/2 at Madayikonam Village and Irinjalakuda Municipality, Mukundapuram Taluk, Thrissur District, Kerala by Sri. K. K. Divakaran (File No. 683/SEIAA/KL/5481/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **recommend** the application for issuance of Environmental Clearance for removal of 1000m³ of ordinary earth subject to the condition that removal should be limited to average depth of 2m. **(The appraisal report is attached as annexure 31)**

Item No.38.49 **Environmental Clearance for removal of ordinary earth in Sy. No. 153/2 at Kappoor Village, Pattambi, Palakkad, Kerala by Sri. Muhammed, V.K. (File No. 684/SEIAA/EC1/5482/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **recommend** the application for issuance of Environmental Clearance for removal of 6000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 32)**

Item No. 38. 50 **Environmental Clearance for removal of ordinary earth in Sy. No. 353/1 B at Pattithara Village, Pattambi, Palakkad, Kerala by Sri. Muhammed Ashraf. (File No. 685/SEIAA/KL/5883/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **recommend** the application for issuance of Environmental Clearance for removal of 4000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. The removed earth is proposed to be used for KLDC Bund construction. **(The appraisal report is attached as annexure 33)**

Item No. 38. 51 **Environmental Clearance for removal of ordinary earth in Sy.no.475/1-2-6 and 475/1-2-3 at VelloorVillage and Panchayath, VaikomTaluk, Kottayam District, Kerala by Sri. M.M. Antony (File No. 686/SEIAA/EC4/5484/2014)**

The Committee considered the application and appraised that the District Collector, Kottayam in his forwarding letter has expressed concern about the adverse impacts of removal of earth from the property. Hence the Committee recommended the item for **REJECTION**. **(The appraisal report is attached as annexure 34)**

Item No.38.52 **Environmental Clearance for removal of ordinary earth in Sy. No. 60/2-3, 60/5 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. C.K. Varghese**
(File No. 687/SEIAA/KL/5485/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2000m³ of ordinary earth subject to the condition that removal should be by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 35)**

Item No.38.53 **Environmental Clearance for removal of ordinary earth in Sy.nos. 403, 406 at Ayyanthole Village, Thrissur Corporation, Taluk and District, Kerala by Smt/Sri Babu Paul**
(File No. 688/SEIAA/KL/5486/2014)

The Committee appraised the proposal based on the details provided by the applicant and found that the proposed area comes under the category Nilam, Hence the committee **DEFERRED** the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act, 2008*, or recommendation from the Local Level Monitoring Committee.

Item No.38.54 **Environmental Clearance for removal of ordinary earth in Sy.no. 631/1,637/1,633/1 at Peruvanthanam Village and Panchayath, Peerumedu Taluk, Idukki District, Kerala by Sri. Antony Nirappel**
(File No.688A /SEIAA/KL/5640/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 300m³ of ordinary earth. **(The appraisal report is attached as annexure 36)**

Item No.38.55 **Environmental Clearance for removal of ordinary earth in Sy. No. 134/1A1 and 134/1-1 at Ayiroor Village, Varkala, Thiruvananthapuram, Kerala by George Koshi**
(File No. 689/SEIAA/KL/5641/2014)

The Committee appraised the proposal based on the details provided by the applicant and **DEFERRED** the application for the production of copy of the Building Permit.

Item No.38.56 **Environmental Clearance for removal of ordinary earth in Sy. No. 197/12-2, 197/13-2, 197/15-2 at Ikkaranadu South Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Saji C.K.**
(File No. 691/SEIAA/KL/5643/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 6000m³ of ordinary earth subject to the condition that removal should be by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 37)**

Item No.38.57 **Environmental Clearance for removal of ordinary earth in Sy.nos. 643/1B at Cheruthazham Village, Cheruthazham Panchayat, Kannur Taluk and District, Kerala by Smt/Sri Anto K Sebastian.**
(File No. 692/SEIAA/KL/5644/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1800m³ of ordinary earth subject to the condition that removal should be by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 38)**

Item No.38.58 **Environmental Clearance for removal of ordinary earth in Sy. No. 109/12, 109/13, 109/16, 109/12-2, 109/13-2 at Odanavattom Village, Kottarakkara Taluk, Kollam District, Kerala by Sri. Sajil Satheek**
(File No. 695/SEIAA/KL/5647/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2500m³ of ordinary earth subject to the condition that removal should be by forming terraces. **(The appraisal report is attached as annexure 39)**

Item No.38.59 **Environmental Clearance for removal of ordinary earth in Sy. No. 360/6-1, 6-2 and 4-2 at Kalathummal Village, Kattakada, Thiruvananthapuram by Sri. Sathyakumar, M.**
(File No. 696/SEIAA/KL/5648/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1350m³ of ordinary earth subject to the condition that removal should be in terraced manner. **(The appraisal report is attached as annexure 40)**

Item No.68.60 **Environmental Clearance for removal of ordinary earth in Sy. No. 211/9-2 at Ezhukone Village, Kottarakkara Taluk, Kollam District, Kerala by Sri. Baburajan**
(File No. 697/SEIAA/KL/5649/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 2000m³ of ordinary earth subject to the condition that removal should be in terraced manner. **(The appraisal report is attached as annexure 41)**

Item No.38.61 **Environmental Clearance for laterite building stone mining in Sy.no. 357 at Aralam Village, Panchayat, Iritty Taluk, Kannur District, Kerala by Managing Director, Aralam Farm (File No. 698/SEIAA/KL/5650/2014).**

The Committee appraised the proposal and found that the item comes under B1 category. Hence the application is recommend to **REJECT** with the direction to the project proponent to submit application in the prescribed manner for EC for B1 category projects. **(The appraisal report is attached as annexure 42)**

Item No.38.62 **Environmental Clearance for removal of ordinary earth in Sy.no. 11/8 at Venginissery Village, Paralam Panchayath, Thrissur Taluk, Thrissur District, Kerala by Smt/Sri Milsha Sudheer. (File No. 699/SEIAA/KL/5651/2014)**

The Committee appraised the application and **RECOMMENDED** the application for issuance of Environmental Clearance to remove 500m³ of ordinary earth uniformly. **(The appraisal report is attached as annexure 43)**

Item No.38.63 **Environmental Clearance for removal of ordinary earth in Sy. No. 16/4, 15/5-2, 20/11A, 15/6, 15/5-1 at Manjalloor Village, Muvattupuzha Taluk, Ernakulam District, Kerala by Smt. Bhavaniamma Ayyappan (File No. 700/SEIAA/KL/5652/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1500m³ of ordinary earth subject to the condition that removal should be in terraced manner from Sy. No. 15/5-2, 20/11A, 15/6, 15/5-1. **(The appraisal report is attached as annexure 44)**

Item No.38.64 **Environmental Clearance for removal of ordinary earth in Sy.nos. 328/17 at Chovvur Village, Cherp Panchayat, Thrissur Taluk, Thrissur District, Kerala by Sri Chandran (File No. 701/SEIAA/KL/5653/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance to remove 125m³ of ordinary earth. **(The appraisal report is attached as annexure 45)**

Item No.38.65 **Environmental Clearance for removal of ordinary earth in Sy.no. 328/19 at Chovoor Village Cherppu Panchayath, Thrissur Taluk, Thrissur District, Kerala by Smt. Prasanna**
(File No.702/SEIAA/KL/5654/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance to remove 125m³ of ordinary earth. **(The appraisal report is attached as annexure 46)**

Item No.38.66 **Environmental Clearance for removal of laterite stone in Re. Sy. No. 16/11-1, 16/12-1, Block-37 at Parippally Village, Kollam Taluk, Kollam District, Kerala by Sri. Muraleedharan, R.**
(File No. 703/SEIAA/KL/5655/2014)

The Committee appraised the proposal based on the details provided by the applicant and **DEFERRED** the application for the production of submission of Pre- Feasibility Report, approved Mining Plan and application in Form 1.

Item No.38.67 **Environmental Clearance for removal of laterite stone in Sy. No. 23/7-2, 23/7-1 at Kareepra Village, Kottarakkara Taluk, Kollam District, Kerala by Sri. Kusalakumar, B.**
(File No. 707/SEIAA/KL/5784/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance to remove 2500m³ of ordinary earth in uniform manner for facilitating building construction on the basis of building plan. **(The appraisal report is attached as annexure 47)**

Item No.38.68 **Environmental Clearance for removal of ordinary earth in Re Sy.no. 206/3 at Thiruvalla Village and Municipality, Thiruvalla Taluk, Pathanamthitta District, Kerala by Sri. Dasan Philip M.**
(File No. 710/SEIAA/EC4/ 5787/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance to remove 405m³ of ordinary earth. **(The appraisal report is attached as annexure 48)**

DAY - III (30.04.2015)

Item No.38.69 **Environmental clearance for removal of ordinary earth in Sy.nos. 1238/8/1 at Amballur Village Alagappa Nagar Panchayath, Mukundapuram Taluk, Thrissur District, Kerala by Smt/Sri Liji Rappayi (File No. 711/SEIAA/KL/6035/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** for issuance of Environmental Clearance to remove 1500m³ of ordinary earth by forming terraces limiting the average depth to 1m. **(The appraisal report is attached as annexure 49)**

Item No.38.70 **Environmental clearance for removal of ordinary earth in Re. Sy. No. 441/1 at Kadayiruppu North Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. George (File No. 712/SEIAA/KL/6036/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 8000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting average depth of removal to 2m since the applicant has provided consent from owner of the adjacent properties. **(The appraisal report is attached as annexure 50)**

Item No.38.71 **Environmental clearance for removal of ordinary earth in Sy. No. 88/2, at Chalisserry Village, Pattambi, Palakkad, Kerala by Sri. Muhammed. (File No. 713/SEIAA/KL/6037/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 6000m³ of ordinary earth from 79.7 ares of land comprised in 88/2 only subject to the condition that removal should be in terraced manner limiting to average depth of removal to 1m. **(The appraisal report is attached as annexure 51)**

Item No.38.72 **Environmental clearance for removal of ordinary earth in Sy. No. 164/3-2 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Smt. Bibitha Mathew W/O Saji (File No. 714/SEIAA/KL/6038/2014)**

Considering the application the Committee observed that the Additional Tahsildar has not certified the identity of the applicant and hence the committee decided to recommend for **REJECTION** of the application. **(The appraisal report is attached as annexure 52)**

Item No.38.73 **Environmental clearance for removal of ordinary earth in Sy. No. 164/9-2 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. M.P. Mathai**
(File No. 715/SEIAA/KL/6039/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1500m³ of ordinary earth subject to the condition that removal should be limited to average depth of 2m. **(The appraisal report is attached as annexure 53)**

Item No.38.74 **Environmental clearance for removal of ordinary earth in Sy. No. 164/3, 164/3-2 at Rayamangalam Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Smt. Sabitha Mathew W/O Prathap Eeppen.** (File No. 716/SEIAA/KL/6040/2014)

Considering the application the committee observed that the Additional Tahsildar has not certified the identity of the applicant and hence the committee decided to recommend to **REJECT** the application. **(The appraisal report is attached as annexure 54)**

Item No.38.75 **Environmental clearance for removal of ordinary earth in Sy.nos. 161/2, 4, 162/1,2 at Irinjalakuda Village & Municipality, Mukundapuram Taluk, Thrissur District, Kerala by Sri. Babu Antony.** (File No. 717/SEIAA/KL/6041/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 250m³ of ordinary earth. **(The appraisal report is attached as annexure 55)**

Item No.38.76 **Environmental clearance for removal of ordinary earth in Sy. No. 61/4, 61/4-5 at Ikkaranadu South Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Abi Cheriyan**
(File No. 718/SEIAA/KL/6042/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 5000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 2m, the applicant has provided consent from owner of the adjacent properties. **(The appraisal report is attached as annexure 56)**

Item No.38.77 **Environmental clearance for removal of ordinary earth in Sy. No. 128 at Vattakkulam Village, Ponnani, Malappuram, Kerala by Sri. C.P. Ali Bava Haji.** (File No. 719/SEIAA/KL/6043/2014)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 5500m³ of ordinary earth from 0.28ha of land comprised in Sy. No. 128, limiting to average depth of 2m. The earth is proposed to be removed from an area surrounded by the land owned by the project proponent. **(The appraisal report is attached as annexure 57)**

Item No. 38.78 **Environmental Clearance for removal of ordinary earth in Sy.no.303/8 and 285/7-4 at Athirampuzha Village and Panchayath, Kottayam Taluk, Kottayam District, Kerala by Sri. K.N. Sasidhran Nair (File No. 720/SEIAA/EC4/6044/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 5700m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 2m since the applicant has provided consent from owner of the adjacent properties. **(The appraisal report is attached as annexure 58)**

Item No.38.79 **Environmental clearance for removal of ordinary earth in Re. Sy. No. 219/10-3, 219/8 at Kunnathunadu Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Ahammad Abdullah (File No. 721/SEIAA/KL/6071/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 9000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 2m since the applicant has provided consent from owner of the adjacent properties. **(The appraisal report is attached as annexure 59)**

Item No.38.80 **Environmental clearance for removal of ordinary earth in Sy. No. 377/1-1, 377/1-2, 377/ 1-3 at Arakkappadi Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Simon S/O Paulose and Smt. Saramma W/O Simon. (File No. 722/SEIAA/KL/6072/2014)**

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 7000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 75cm since a paddy field is at the southern boundary of the property. **(The appraisal report is attached as annexure 60)**

Item No.38.81 **Environmental clearance for removal of Brick earth in Sy.no. 127/1,2,3 at Puthenchira Village and Panchayath, Mukundapuram Taluk, Thrissur District, Kerala by Smt Sabira Lathif (File No.725 /SEIAA/KL/6075/2014)**

The Committee appraised the proposal based on the details provided by the applicant and found that the proposed area comes under the category Nilam, Hence the committee **DEFERRED** the item for the production of exemption under *Kerala Conservation of Paddy Land and Wetland Act, 2008* or recommendation from the Local Level Monitoring Committee.

Item No.38.82 **Environmental clearance for removal of ordinary earth in Sy. No. 377/5 and 377/6 at Kavasserry Village, Alathoor, Palakkad, Kerala by The Director, Kings Infra Ventures Ltd.**
(File No. 729/SEIAA/KL/01/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 450m³ of ordinary earth. **(The appraisal report is attached as annexure 61)**

Item No.38.83 **Environmental clearance for removal of ordinary earth in Sy.no. 208/1at Annallor Village, Mala Panchayath, Chalakudy Taluk, Thrissur District, Kerala by Smt. Swathy Rajendran**
(File No.731 /SEIAA/KL/04/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 300m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 62)**

Item No.38.84 **Environmental clearance for removal of ordinary earth in Sy.no. 43/8 at Venginissery Village, Paralam Panchayath, Thrissur Taluk, Thrissur District, Kerala by Sri. Roy Sebastian**
(File No.732 /SEIAA/KL/05/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1000m³ of ordinary earth subject to the condition that removal should be in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 63)**

Item No.38.85 **Environmental clearance for removal of Brick earth in Re Sy.no. 160/19 at Kidangoor Village and Panchayath, Meenachil Taluk, Kottayam District, Kerala by Sri P.B. Francis**
(File No. 735/SEIAA/ EC4/08/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 480m³ of Brick earth from 2.4 ares of total land of 17.21 ares comprised in Re Sy.no. 160/19 at Kidangoor Village. **(The appraisal report is attached as annexure 64)**

Item No.38.86 **Environmental Clearance for removal of Brick earth in Re Sy.no. 424/6 at Puliyanoor Village and Mutholy Panchayath, Meenachil Taluk, Kottayam District, Kerala by Sri. P.B. Siby**
(File No. 736/SEIAA/EC4/09/15)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 400m³ of Brick earth from 2.3 ares of land comprised in Re Sy.no. 424/6 in Puliyanoor Village. **(The appraisal report is attached as annexure 65)**

Item No.38.87 **Environmental clearance for removal of ordinary earth in Sy. No. 78/4, 78/5 at Kadakkal Village, Kottarakkara Taluk, Kollam District, Kerala by Sri. Secretary, Kadakkal Service Sahakarana Bank.** (File No. 737/SEIAA/KL/030/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 300m³ of ordinary earth. **(The appraisal report is attached as annexure 66)**

Item No.38.88 **Environmental clearance for removal of laterite stone in Sy. No. 116/1-3 at Puthoor Village, Kottarakkara Taluk, Kollam District, Kerala by Smt. Manju.** (File No. 738/SEIAA/KL/60/2015)

The Committee scrutinised the application and found that the applicant has already extracted laterite from the same area proposed for EC. The applicant also states that she wants to continue mining whereas in the application it is stated that the request is for EC for the removal of ordinary earth. Since inconsistencies are noticed in the application the committee decided to recommend to **REJECT** the application. **The appraisal report is attached as annexure 67)**

Item No.38.89 **Environmental clearance for removal of ordinary earth in Sy. No. 197/11, 197/16, 197/2 at Ikkaranadu South Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. Skaria S/O Varkey and Saramma.** (File No. 741/SEIAA/KL/083/2015)

The Committee appraised the proposal based on the details provided by the applicant and **DEFERRED** the item to assess the field reality, since the project proponent has proposed to remove a huge quantity of ordinary earth from a large extent of area in which they have already excavated laterite. Dr. Jayson and Dr. K G Padmakumar were entrusted the task of field visit to assess the ground situation.

Item No.38.90 **Environmental clearance for removal of ordinary earth in Sy. No. 304/1, 304/3 at Kanayannur South Village, Kunnathunadu Taluk, Ernakulam District, Kerala by Sri. George Kuriakkose**
(File No. 746/SEIAA/KL/179/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 15000m³ of ordinary earth by forming terraces and limiting the average depth of removal to 1.5 m from the land comprised in Sy. No. 304/1, 304/3 at Kanayannur South Village. **(The appraisal report is attached as annexure 68)**

Item No.38.91 **Environmental clearance for removal of ordinary earth in Sy. No. 57/1A1A, at Vellamunda Village, Mananthavady Taluk, Wayanad District, Kerala by Sri. Mangalassery Dinesh Kumar**
(File No. 751/SEIAA/KL/293/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 3000m³ of ordinary earth by forming terraces limiting to average depth of 1m. **(The appraisal report is attached as annexure 69)**

Item No.38.92 **Environmental clearance for removal of ordinary earth in Sy.nos. 860/1, 861/1 and 867 at Kasaba Village, Kozhikode Corporation, Kozhikode Taluk, Kozhikode District, Kerala by Sri. P. Kunhiraman Nair.** (File No.766/SEIAA/EC4/556/15)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1500m³ of ordinary earth in Sy.nos. 860/1, 861/1 and 867. **(The appraisal report is attached as annexure 70)**

Item No.38.93 **EC application for removal of ordinary earth from Sy. No. 114 at Thirumittacode Village, Thirumittacode Panchayat, Pattamby Taluk, Palakkad District by Sri. Stanly. S. Alukal.**
(File No. 771/SEIAA/KL/687/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 4000m³ of ordinary earth in terraced manner limiting to average depth of 1m. **(The appraisal report is attached as annexure 71)**

Item No.38.94 **Environmental clearance for removal of Laterite earth in Sy.no. 351/1 at Edavally Village and Panchayath, Chavakkad Taluk, Thrissur District, Kerala by Smt. Ancy Thomas**
(File No.775 /SEIAA/KL/721/2015)

Since applicant remitted the fees, the Committee **DEFERRED** the application for the submission of Pre- Feasibility Report and approved Mining Plan as per O. M dated 23-02-2013.

Item No.38.95 **Environmental clearance for removal of Laterite in Sy.no. 221/1B at PulakkoduVillage and Chathamangalam Panchayath, Kozhikode Taluk, Kozhikode District, Kerala by Sri. P. Sudhakaran**
(File No.776/SEIAA/EC4/795/2015)

The Committee appraised the proposal based on the details provided by the applicant and **DEFERRED** the item for field visit. The Committee entrusted the task of field visit and preparation of report to Dr. Harikumar.

Item No.38.96 **Environmental clearance for removal of ordinary earth in Sy. No. 586/6, at Sulthan Batheri Village, Sulthan Batheri Taluk, Wayanad District, Kerala by Sri. Fr. Stephen Kottackal**
(File No. 777/SEIAA/KL/882/2015)

The Committee appraised the proposal based on the details provided by the applicant and decided to **RECOMMEND** the application for issuance of Environmental Clearance for removal of 1200m³ of ordinary earth. **(The appraisal report is attached as annexure 72)**

Agenda Items numbers 38.97, 38.98 and 38.99 could not be considered by the committee due to lack of time. The committee decided to appraise the above proposals in its next meeting.

The meeting ended at 5.00 pm with vote of thanks to the Chairman and Members.

Shri. C.S. Yalakki IFS
(Secretary SEAC)

Shri. V. Gopinathan IFS (Rtd)
(Chairman SEAC)

LIST OF PARTICIPANTS

Day I (28-04-2015)

1. Dr. P.S. Harikumar
2. Dr. Keshav Mohan
3. Dr. E.A. Jayson
4. Dr. Hari Krishnan K
5. Dr. Oommen V. Oommen
6. Sri. P. Sreekumaran Nair
7. Dr. George Chackacherry
8. Sri. C.S. Yalakki IFS
(Secretary SEAC)
9. Sri . V Gopinathan IFS (Rtd)
(Chairman SEAC)

Day II (29-04-2015)

1. Dr. K. G. Padmakumar
2. Dr. Keshav Mohan
3. Dr. E.A. Jayson
4. Dr. Hari Krishnan K
5. Dr. Oommen V. Oommen
6. Sri. P. Sreekumaran Nair
7. Dr. George Chackacherry
8. Sri. C.S. Yalakki IFS
(Secretary SEAC)
9. Sri . V Gopinathan IFS (Rtd)
(Chairman SEAC)

Day III (30-04-2015)

1. Dr. K. G. Padmakumar
2. Dr. Keshav Mohan
3. Sri. P. Sreekumaran Nair
4. Dr. Hari Krishnan K
5. Dr. Oommen V. Oommen
6. Dr. George Chackacherry
7. Sri. C.S. Yalakki IFS
(Secretary SEAC)
8. Sri . V Gopinathan IFS (Rtd)
(Chairman SEAC)